



• **Individuals with SCD:** Individuals with SCD should be encouraged to participate in clinical research. Research can help to better understand the disease and develop new treatments. Research can also help to identify individuals who are at risk of SCD and who may benefit from early treatment.



• **Hematologists, internists, general practitioners, pediatricians, and other clinicians:** Clinicians should be encouraged to participate in clinical research. Research can help to better understand the disease and develop new treatments. Research can also help to identify individuals who are at risk of SCD and who may benefit from early treatment.

• **Researchers:** Researchers should be encouraged to participate in clinical research. Research can help to better understand the disease and develop new treatments. Research can also help to identify individuals who are at risk of SCD and who may benefit from early treatment.



- **Hematologists, internists, general practitioners, pediatricians, and other clinicians:** Clinicians should be encouraged to participate in clinical research. Research can help to better understand the disease and develop new treatments. Research can also help to identify individuals who are at risk of SCD and who may benefit from early treatment.
- **Individuals with SCD:** Individuals with SCD should be encouraged to participate in clinical research. Research can help to better understand the disease and develop new treatments. Research can also help to identify individuals who are at risk of SCD and who may benefit from early treatment.
- **Researchers:** Researchers should be encouraged to participate in clinical research. Research can help to better understand the disease and develop new treatments. Research can also help to identify individuals who are at risk of SCD and who may benefit from early treatment.

